





Cornwall County Council.

- Sanitary Committee.

ANNUAL REPORT,

VITAL STATISTICS

And Meteorological Summary for 1904.

TRURO:

BLACKFORD, ROYAL PRINTERIES, 1905.









Cornwall County Council.

Sanitary Committee.

ANNUAL REPORT,

VITAL STATISTICS

And Meteorological Summary for 1904.

TRURO:
BLACKFORD, ROYAL PRINTERIES,
1905.



CORNWALL COUNTY COUNCIL.

County Sanitary Committee:

THE RIGHT HONORABLE THE EARL OF MOUNT EDGCUMBE, Chairman of the County Council (Ex-Officio).

Mr. WILLIAM COLE PENDARVES, Vice-Chairman of the County Council (*Ex-Officio*).

THE HONORABLE JOHN R. de C. BOSCAWEN, Chairman.

MR. JOSEPH ROGERS, Newquay, Vice-Chairman.

MR. ARTHUR FRANCIS BASSET, Tehidy, Camborne.

- " GEORGE BERINGER, 18 Meneage Street, Helston.
- ,, GEORGE ALBERT HELLYAR, Trevone, Padstow.
- ,, JAMES HENDY, Truthan, St. Erme, Truro.
- " FREDERICK WILLIAM JENKIN, Biscovey, St. Blazey.
- " JAMES WALTER LAWRY, Tharsis Villa, Calstock.
- " RICHARD AMBROSE NEWCOMBE, Broad Street, Penryn.
- ,, JOHN MICHAEL NICHOLLS, The Terrace, St. Ives.
- " NICHOLAS RICHARD ROSEKILLY, Albaston, Gunnislake.
- " RICHARD JOHN THOMAS RUNNALLS, Fore Street, Copperhouse, Hayle.
- ,, CHARLES TREGENZA, Mousehole, Paul, near Penzance.
- " Col. ARTHUR TREMAYNE, Carclew, Perranwell Station, R.S.O.

MR. CHRISTOPHER L. COWLARD, Clerk.

Place of Meeting:

PUBLIC ROOMS, TRURO.

LOCAL SANITARY AUTHORITIES.

CHAIRMEN & OFFICERS, 1905.

		CIMILIN	a office,	1, 1903.	
No. of District in Report	Sanitary District.	Chairman.	Clerk.	Medical Officer.	Inspector.
$\frac{1}{1a}$	RURAL. Stratton	Peter Stacey Wm. Allin	G. H. Gurney J. Rowland	J. M. Braund W. G. Gray	J. P. Baker. R. Banbury.
2 3 1	$egin{array}{ccc} { m Launceston} & \dots & $	J. Rawling, C.C J. D. Paul	G. G. White J. P. Blight	C. G. Gibson A. Bowhay, M.D.	J. Frayne. J. V. Bennett.
5 6	Boscastle Camelford Liskeard	J. Parnell Do Rev. E. H. Glencross	A. C. L. Glubb	C. Wade	A. Metherell. J. H. Bailey. E. Mallett.
$\begin{bmatrix} 7 \\ 8 \\ 9 \end{bmatrix}$	St. Germans Bodmin St. Columb	J. Lewarne	F. W. Cleverton J. Pethybridge C. E. Whitford	R.T.Meadows, M.D. T. Mudge F. S. McMahon	J. C. Hooper. W. J. Jenkins. R. G. Hawken.
10 11	St. Austell Truro	H. W. Higman	J. Stephens	W. Mason T. M. Bonar	T. Darlington. E. W. Tonkin.
12	Redruth	H. A. Rosewarne	T. C. Peter	A. E. Permewan, M.D.	J. Tredinnick. W. Martin. J. D. Hosking.
13	East Kerrier		G. A. Jenkins	J. Blamey	J. H. Chubb. R. J. Wearne.
14	Helston		A. F. Ratcliffe	N. R. Haswell {	T. J. Joyce.
15 16	West Penwith Scilly Isles	W. E. T. Bolitho	T. H. Cornish E. N. V. Moyle	J. Mudge T. Brushfield, M.D.	J. Nicholas.
	URBAN.				
17 18	Callington	Dr. H. Davis J. H. Treleven	J. P. Blight	H. Davis, junr	J. Richards. T. Ellis.
19	Launceston	The Mayor	C. H. Peter	C. G. Gibson	A. W. Grace.
$\frac{20}{21}$	Liskeard Torpoint	The Mayor	H. L. Caunter	W. Nettle	
$\frac{21}{22}$	Looe	T. E. Reynolds J. White		S. G. Vinter J. E. Webb, M.B.	W. C. Jones, C.S.I C. Martin.
23	Saltash	The Mayor	F. W. Cleverton	G. Preston	W. W. Harvey.
24	Bodmin	The Mayor	J. Pethybridge	B. G. Derry	B. Buscombe.
$\begin{array}{c} 25 \\ 26 \end{array}$	Lostwithiel Wadebridge	The Mayor W. H. Wills	W. Pease, junr W. O. Wellington	E. A. Milner W. A. Eden	J. Knight. J. Bate.
27	Truro City	The Mayor	F. Parkin	H. C. Sharp, M.B.	M. Lea, C.E.
28	Penryn	The Mayor	G. A. Jenkins	J. Blamey	J. P. Jenkins, C.E.
29	Falmouth	The Mayor	E. E. Armitage	C. C. Bullmore	H. Kelway.
30 31	Helston St Ives	The Mayor	J. W. Tyacke, C.C. E. Boase	E. T. Jones J. M. Nicholls, C.C.	W. J. Winn. J. Grenfell.
32	Penzance	The Mayor		R. D. Boase	
33	Padstow	R. S. Langford	E. C. Williams	F. Harvey	P. Blake.
34	Newquay	J. Pearce	T. Collins	A. Hardwick, M.D.	J. Ennor, junr.
35	St. Austell	F. A. Coon, C.C	H. W. Higman	W. Mason	J. Samble.
$\begin{array}{c} 36 \\ 37 \end{array}$	Redruth Camborne	W. Hooper R. Nettle	H. Paige J. R. Daniell	F. Hichens, M.D. J. T. Thomas	T. W. Joyce. J. Williams.
38	Phillack	·	W. G. Kempthorne	J. T. Thomas Z. B. Mudge	W. Caddy.
39	Hayle	F. Harvey	E Boase	T. Mudge	J. Richards.
40	Madron	T. R. Bolitho .	A. Taylor	R. D. Boase	W. N. Matthews.
41	Paul		W. Curnow	Do	W. F. Trembath.
42 43	Ludgvan St. Just		J. J. Hill	J. Mudge R. G. Nesbitt	J. N. Rowe. T. S. Tregear.



CORNWALL COUNTY COUNCIL.

Sanitary Committee.

Report for the Year 1904.

VITAL STATISTICS.

POPULATION.

We think it wise still to adhere to the 1901 Census population, with a slight exception, for statistical purposes,—there being no evidence, at least of an official kind, to lead to an assumption that the County's population has materially increased since 1901. The one exception is, that during the year Torpoint, which previously formed part of St. German's Rural District, has become a separate Urban District. Its population at the time of its separation was 3,404. By the sanction and approval of the Registrar General 700 have been added to it. This alteration accounts for the reduced Rural population in the Tables and the consequent increase in that of the Urban, and also of the County's total.

The Rural population now stands at 186,376; the Urban, 136,329; and the County as a whole, 322,705.

BIRTHS.

During the year 7,201 births were registered, of which 3,789, were males, and 3,412 females, giving a birth-rate of 22'31 per thousand, against 22'69 for the previous year. The average birth-rate for the last five years is 23'46. The previous five years' average was 23'82. The decline this year is not so pronounced as last year, yet there is a decline, and it goes on from year to year. This undesirable and regrettable condition of the birth-rate is not confined to Cornwall, for it is characteristic of the whole country. Table 1 shows that there were 4,113 births registered in the Rural districts—2,131 males, and 1,982 females, equal to a birth-rate of 22'65 per thousand; and 3,088 in the Urban portion—1,658 males, and 1,430 females, equal to a birth-rate of 22'65 per thousand.

For England and Wales the birth-rate last year was 27'9 per thousand—0'5 per thousand below last year's rate, and lower than the rate in any other year on record, and for 76 great Towns 29'1.

DEATHS.

The total number of deaths registered from all causes during 1904 was 4,752, of which 2,333 were males, and 2,419 females, giving a general death-rate of 14.72 per thousand, against 14.21 for 1903, being a slight increase of 0.51 per thousand on that for the previous year's rate. Although the climatic conditions were far more favourable than in 1903, yet there was an increased number of fatalities from Respiratory diseases, and also from Measles and Whooping Cough which fully accounts for the fractional rise of 0.51 per thousand in the general death-rate. It is, however, satisfactory that the County's general death-rate keeps in the neighbourhood of 14 per thousand.

The Rural districts contributed 2,633 deaths—1,311 males and 1,322 females, equal to a death-rate of 14'12 per thousand, against 13'62 last year, and the Urban portion 2,119—1,022 males and 1,097 females, equal to a death rate of 15'54 per thousand, against 15'14 last year. Table 7 shows that the Rural districts maintain their advantage over those of the Urban in regard to the County's general death-rate, and also the natural increase-rate. The average general death-rate for the County for the last 5 years is 15'61 per thousand. The previous 5 years' average was 15'88.

The death-rate for England and Wales in 1904 was 16'2 per thousand, and for 76 Great Towns 17'2.

AGE AND RELATION TO DEATHS.

Table 2 shows that of 4,752 deaths, 806 occurred under the age of one year (against 726 last year); 308 between one and five years (against 247 last year); 126 between five and fifteen years (against 125 last year); 231 between fifteen and twenty-five years (against 213 last year); 1,339 between twenty-five and sixty-five years (against 1,341 last year); and 1,942 amongst persons of sixty-five years and upwards (against 1992 last year.) The table also shows how these deaths were distributed among the Rural and Urban districts respectively.

To obtain the mortality among the active portion of the County's population deaths under 5, and 65 years and above are eliminated from the total deaths. It will be seen that there were 2,004 deaths in this division (325 more than last year), giving a death-rate of 6:20 per thousand. The mortality rate of the 806 deaths under 5 years (67 less than last year) is 2:49 per thousand, and that of the 1,942 deaths of aged persons (16 less than last year) is 6:01.

ZYMOTIC DEATHS.

Diseases taken as Zymotics for statistical purposes are Small-pox, Measles, Scarlet Fever, Whooping Cough, Diphtheria and Membranous Croup, Typhus Fever, Enteric or Typhoid Fever, Continued Fever, Cholera, and Diarrhœa and Dysentery. The Zymotic death-rate is calculated upon the number of deaths occurring from these diseases, and Table 3 shows that there were 185 deaths during 1904, giving a Zymotic death-rate of 0.573 per thousand, against 115 and 0.357 respectively for the previous year—an increase of 37 per cent. The deaths included Measles, 39 (against 6 in 1903), Whooping Cough 46 (against 15 in 1903) Scarlet Fever 3 (against 6 in 1903), Diphtheria and Membranous Croup 25 (against 29 in 1903), Enteric Fever 10 (against 29 in 1903), Continued Fever 1 (against nil in 1903), and Diarrhœa 61 (against 39 in 1903). There were no deaths from either Small-pox, Typhus Fever, or Cholera. Of these 185 Zymotic deaths 99 occurred in the Rural districts, and 86 in the Urban, giving a Zymotic death-rate of 0.531, and 0.630 respectively.

The Zymotic death-rate for England and Wales in 1903 was 1'94 per thousand, and for 76 Great Towns 2'49. Cornwall's rate of 0'573 again compares very favourably with that of England as a whole.

INFANTILE MORTALITY.

There were 806 deaths under one year (inclusive of 149 premature births), against 726 in 1903, giving a percentage of 16'96 of the total deaths, a death-rate of 2'49 per thousand, and the proportion of 111'92 per thousand births. This is not so good as last year by 12'73 per thousand births; but then the 1903 mortality rate was very low, in fact the lowest yet recorded.

The relative proportions of the Rural and Urban districts are as follows:—Rural, 416 deaths (inclusive of 72 premature births), giving a death-rate of 2.23 per thousand of its population, 15.79 per cent. of its total deaths, and 101.14 per thousand births. Urban, 390 deaths (inclusive of 77 premature births), giving a death-rate of 2.86 per thousand of its population, 18.40 per cent. of its total deaths, and 126.29 per thousand births.

The Infantile mortality rate for England and Wales in 1904 was 146 per thousand births, and for 76 Great Towns 160.

INFECTIOUS DISEASES.

Table 6 shows the number of new cases of Infectious sickness in each district coming to the knowledge of the Medical Officer of Health during 1904. No cases of Cholera, Typhus Fever, or of Relapsing Fever were reported during the In the Rural districts there were notified or ascertained 122 cases of Diphtheria, 3 cases of Membranous Croup, 88 cases of Erysipelas, 231 cases of Scarlet Fever, 52 cases of Enteric or Typhoid Fever, 4 cases of Continued Fever, and 9 cases of Puerperal Fever, making a total of 509 cases, against 483 cases in 1903, giving a disease rate of 2.41 per thousand. In the Urban districts 280 cases were reported, against 349 cases last year, giving a disease-rate of 2.05 per thousand, and comprised Small-pox, I case; Diphtheria, 40 cases; Membranous Croup, I case; Erysipelas, 69 cases; Scarlet Fever, 114 cases; Enteric or Typhoid Fever, 46 cases Continued Fever, 6 cases; Puerperal Fever, 3 cases. Altogether 789 cases were notified or ascertained for the whole County, against 832 cases in 1903, and 925 cases in 1902, giving a disease-rate of 2'44 per thousand, which is 0'14 per thousand better than last year. 96 of the cases were among children under 5 years and 693 above.

MEASLES AND WHOOPING COUGH.

These diseases were more or less prevalent throughout the year, but not to a large extent. They, however, caused 85 deaths, which quadruples the number returned last year. From Measles there resulted 39 deaths, against 6 in 1903, and from Whooping Cough, 46; against 15. Last year the diseases were located principally in the Rural portion of the County, but this year the Urban portion has been affected equally with the Rural,—the Rural's contribution being 14 from Measles and 26 from Whooping Cough, total 40; and the Urban's 25 from Measles and 20 from Whooping Cough, total, 45. These diseases not being notifiable the number of cases cannot be stated, nor the ratio of percentage of deaths to cases.

The mortality rates for the whole County are; Measles 0'12 per thousand, against 0'01 last year; Whooping Cough, 0'13, against 0'04 last year. These increases have adversely affected the County's general death-rate; also the Infantile mortality rate.

For England and Wales the death-rates from Measles and Whooping Cough were respectively 0'36, and 0'34 per thousand, and for 76 Great Towns 0'47 and 0'40.

DIARRHŒA.

During the year there were 61 deaths due to Diarrhœal diseases, equal to a death-rate of 0.18 per thousand, just one half more than occurred in 1903. As last year, so this, the deaths were nearly equally divided between the two divisions of the County, The fact that 51 of these deaths were children under 5 years of age shows the need of instructing the poorer inhabitants, by pamphlets or handbills bearing on the proper rearing and feeding of children, as is done by some authorities on the recommendation of their respective Medical Officers of Health. If this practice were general instead of isolated, it would undoubtedly lead to the saving of many infantile lives which are now ruthlessly sacrificed to ignorance, neglect, and uncleanliness.

The Diarrhœal death-rate for England and Wales in 1904 was 0.86 per thousand, and for 76 Great Towns 1.20. Cornwall's rate of 0.18 again compares favourably with that of the rest of the country.

SCARLET FEVER OR SCARLATINA,

There were only 3 deaths resulting from Scarlatina in 1904, against 6 in the previous year, giving a death-rate worked to 3 places of decimals of 0'006 per thousand,—just one half less than last year, which up to then, was the lowest rate we have recorded, but is now succeeded by a still lower rate that two decimal places cannot represent. The percentage of deaths to cases was only 0'87, which is 0'71 better than last year, and indicates the mild form of the disease. The cases notified numbered 345,—34 less than in 1903. The rural districts returned 2 deaths, equal to a death-rate of 0'01 per thousand of its population, and a ratio of 0'86 per cent. of the cases notified. The Urban portion's contribution was only 1 death (same as last year) which worked out to 2 decimal places again represents a zero death-rate. The ratio of percentage of deaths to attacks was 0'87.

For England and Wales the Scarlet Fever death-rate in 1904 was 0'11 per thousand, and for 76 Great Towns 0'12.

DIPHTHERIA AND MEMBRANOUS CROUP.

Diphtheria and Membranous Croup caused 25 deaths during the year, against 29 in the previous year, and 56 in 1902; so there is a steady decline going on in the death-rate of these combined diseases. And from the improved ratio of deaths to attacks may be inferred that they are either more mild in type, or that medical treatment is more successful. The death-rate is 0.07 per thousand, against 0.09 last year, and ratio 15.06 per cent, which is better than in 1903 by 3.29, and better than in 1902 by 6.39. 22 of the 25 deaths occurred in the Rural districts, giving a Rural Death-rate of 0.14 per thousand, and a ratio of 17.60 per cent. The Urban districts only return 3 deaths, equal to an Urban death-rate of 0.02 per thousand, and a ratio of 7.31 per cent. These diseases are therefore seen to be far more fatal and numerous in the Rural districts—a condition of things which previous to 1903 did not exist.

The Diphtheritic death-rate for England and Wales last year was 0'17 per thousand, and for 76 Great Towns 0'19. Cornwall's rate of 0'07 is therefore 0'10 per thousand lower than that of England and Wales.

ENTERIC OR TYPHOID FEVER.

There were 10 deaths from Enteric Fever during the year,—10 less than in the previous year, giving a death rate of 0.03 per thousand of the population, and a ratio of 10.20 per cent. of deaths to cases notified. The deaths were equally distributed between the two divisions of the County, as were also nearly the notified cases. The Rural death-rate is 0.02 per thousand, and ratio 9.63; and that of the Urban 0.03 per thousand and ratio 10.86.

The Registrar General does not give the death-rate for Enteric or Typhoid Fever separately. It is grouped apparently with Continued and Puerperal Fevers, and the death-rate for those combined diseases in 1904 is given as 0.09 per thousand, and for 76 Great Town, 0.10, Cornwall's death-rate for the same diseases is 0.04 per thousand, and again compares very favourably with the rest of the country.

INFLUENZA.

As in last year so in this the County enjoyed a comparative immunity from Influenza. The number of deaths directly due to it was 33, equal to a death-rate of 0'10 per thousand of the population, against 40 and 0'12 respectively for 1903, and 73 and 0'22 respectively for 1902. The Rural districts return 18 deaths, equal to a Rural death-rate of 0'09 per thousand, and the Urban 15, equal to an Urban death-rate of 0'11 per thousand.

For some years the Urban districts have had the advantage over the Rural in regard to Influenza; but now the conditions are reversed, and it seems natural they should be.

CANCER.

Cancer is responsible for 308 deaths during the year. This is 9 more deaths than were registered in 1903, but 6 less than in 1902. This break in the downward tendency so noticeable in the three previous years is, we hope, only temporary, and that a more favourable condition of this malignant disease will be apparent in 1905. The Rural districts continue to return the highest number of deaths. Tables 3 and 4 show that the distribution and rates were:


Rural ... 181 deaths; death-rate, 0'97 per thousand. Urban ... 127 deaths; death-rate, 0'90 per thousand. County ... 308 deaths; death-rate, 0'95 per thousand.

PHTHISIS.

We are glad to be able to record a continuance of slight reductions in the County's Phthisisical death-rate. The total deaths registered from Phthisis this year numbered 428, and from other forms of Tuberculosis 106, against 445 and 106 respectively in the previous year, and 473 and 119 respectively in 1902—a reduction of 58 deaths in two years from the combined forms, representing a lessened death-rate of 0'17 per thousand. The sexes and age periods of these deaths we are unable to give, as only in a few instances is this information supplied. The death-rate this year is 1'32 per thousand of the population, against 1'37 last year and 1'46 in 1902, and is 0'08 below the average of the last 5 years. The Rural contribution was 217 deaths, equal to a death-rate of 1-16 per thousand of its population, and that of the Urban was 211, equal to a death-rate of 1'54 per thousand of its population. It will thus be seen that the Rural portion of the County maintains its advantage over the Urban in regard to Tuberculosis, as is natural it should do.

ACCIDENTS AND SUICIDES.

There were 126 deaths from Accidents and Suicides during the year,—101 from the former, and 25 from the latter, against 130 and 17 respectively in 1903. In the Rural division there were 57 accidents and 14 suicides, and in the Urban 44 accidents and 11 suicides. The percentage of these fatalities to the total deaths is as follows:—For the whole County, 2.65; for the Rural districts, 2.69; and for the Urban, 2.59.



METEOROLOGY.

RAINFALL.—The mean total rainfall for 1904 was 42'45 inches, against 50'98 inches in 1903. The average of the 5 years ending December 31st was 41'82 inches. The previous 5 years' average was 40'98 inches. The total rainfall registered at Greenwich was 20'67 inches, against 35'54 inches in 1903. The highest amount of rainfall was at Pentillie Castle (53'82 inches), and the lowest at Bude (32'47 inches).

Newquay's rainfall (27'22 inches) is for 11 months, but owing to a defect in the measuring instrument, the amount is doubtful. A more reliable record will be given in 1905.

TEMPERATURE.—The mean temperature for 1904 for the whole County was 51'00 degrees, against 51'17 degrees for 1903, and 50'62 degrees for 1902. The mean temperature at Greenwich was 49'8 degrees, against 50'2 degrees for 1903. By Table 13 it will be seen that Cornwall's mean temperature for the winter months was 44'93 degrees, against 45'40 degrees for 1903; and for the summer months 57'08 degrees against 56'93 degrees for 1903. The highest mean temperature occurred in July (62'42 degrees), and the lowest in February (42'30 degrees). The mean daily range of temperature was 11'19 degrees, ranging from 13'72 degrees in June to 8'50 degrees in December. The mean absolute extremes of temperature ranged from 80 I degrees in July to 25'7 degrees in November. The highest mean temperature for the year was at Cremyll (53'02 degrees, and the lowest at Pencarrow (48'26 degrees) Launceston's record of 47'04 degrees is only an 11 months' average.

HUMIDITY.—The relative humidity of the air was 82 per cent. against a like percentage in 1903, and ranged from 89 in January to 78 in June and August.

SUNSHINE.—The total hours of bright sunshine recorded at seven stations numbered 11,543, giving an average of 1,649 hours to each station. The previous year's total was 11,957 hours, and average 1,708. The highest recorded was at Plymouth (1,732), and the lowest at Newquay (1,569).

Signed on behalf of the Committee.

JOHN R. DE C. BOSCAWEN,

CHAIRMAN.

TRURO, May, 1905.

BIRTHS AND DEATHS, 1904.

Table No. 1.

Tab	le No. 1.						-						
e			B	IR T I	HS.	0.	D	EAT	HS.	90.		ar	per ion.
No. of District in Report.		Population, 1901.			1	Birth-rate per 1,000.	-	1	T.	Death-rate per 1,000.	Natural Increase.	Feaths under I year per 1,000 births.	Zymotic Death-rate per 1,000 of the Population.
f Distri Report.	SANITARY	on,				ber.	1			per	ncre	der bir	Pop
f D Rep	DISTRICT.	rlati	l e	rle.	i i	ate 1	ej.	ale.	AL.	rate	al I	H 100,	De
0.0		ndoc	Male.	Female.	TOTAL.	- 45 - 12	Male.	Female.	TOTAL.	-tth	rtur	aths er 1	otic of
Z		Н Н		1	I	Birt	1	1 1	1	Dec	ž	Ler	Zyn 000,
				<u> </u>				-					
	RURAL.		1					0.0					2717
$rac{1}{2}$	Stratton Launceston		44 77	52 80	96		31 57	36 41	67 98	13·37 12·57	29 59	145·83 70·06	Nil 0.384
3	Calstock		68	70	138		40	52	92	15.66	46	173.91	0.510
4	Boscastle		25	23	48	22.05	11	8	19	8.73	2)	83.33	Nil
5	Camelford	5,012	46	64	110		26	35	61	12.15	49	100.00	Nil
6 7	Liskeard St. Germans	15,674 14,386	147 144	154 150	$\frac{301}{294}$	19.20	112	97	269 183	13·32 12·70	92	66·44 119·04	0.063
8	Bodmin	10,393	120	T	227	21.81	79	73	152	14.62	75	101.29	0.769
9	St. Columb	10,747	124		249		80	83	163	15.16	86	108.43	0.465
10	St. Austell . Truro	29,597		382	785		205	211	416 358	14.05 16.22	369 76	118 46	0.574
$\frac{11}{12}$	Redruth	22,062 $18,383$	238	$\frac{208}{171}$	434		175 148	183 133	281	15.28	128	112·90 92·90	0.679
13	East Kerrier	8,192	100	99	199		64	60	124	15.13	75	65.32	0.366
14	Helston	17,685	207		370		112	118	230	13.00	140	81.08	0.735
15 16	West Penwith Scilly Isles .	11,298	141	110	251 45	22.21	73 8	89	162	14·33 8·60	89 27	83.66 66.66	0·442 Nil
10	Semy Isles .	2,092	21	24	40	21.51	0		16		21		
	URBAN.	186,376	2131	1982	4113	22:06	1311	1322	2633	14.12	1480	101.14	0.531
17	Callington	1,714	21	18	39	22 75	14	13	27	15.75	12	102.56	Nil
18	Stratton & Bude	2,308	29	20	49		27	20	47	20.35	2	102.04	Nil
19 20	Launceston . Liskeard	4,053	28 43	29 40	57 83	14·06 20·69	32 31	24 38	- 56 69	13·81 17·15	1 14	122·80 108·43	Nil Nil
21	Torpoint	4,010 4,104	89	74	163		29	34	63	15.35	100	79.75	1.461
22	Looe	2,548	31	29	60	23.54	19	17	36	14.12	24	83.33	2.354
23	Saltash .	3,357	40	46	86		19	22	41	12.21	45	116.27	0.893
$\begin{bmatrix} 24 \\ 25 \end{bmatrix}$	Bodmin Lostwithiel	5,353 1,331	47 13	48	95	17·74 20·28	66	72 11	138 14	25·78 10·51	-43 13	168.63 74.07	0·186 Nil
26	Wadebridge	2,186	24	17	41	18.75	13	13	26	11.89	15	146.34	Nil
27	Truro City	11,557	136	109	245	21.19	66	74	140	12.11	105	89.79	1.384
$\begin{bmatrix} 28 \\ 29 \end{bmatrix}$	Penryn Falmouth	3,190	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	29 86	$ 61 \\ 1281$	19·12 23·83	23 93	19 86	42 179	13·16 15·18	19 102	81·98 124·55	Nil 0.415
30	Helston	11,789 3,088	23	31	54	17.48	19	26	45	14.57	9	148.14	0.323
31	St. Ives	6,699	80	67	147	21.94	28	37	65	9.70	82	102.04	Nil
32	Penzance Padstow	13,136	128		269		111		235		34	122.67	1.370
$\begin{bmatrix} 33 \\ 34 \end{bmatrix}$	Newquay	1,566 3,115	23 38	19 28	42 66		14 19	19 18	33	21·07 11·87	9 29	71·42 121·21	Nil Nil
35	St. Austell		22	41	63		29	40	69	20.65	-6	206.34	0.598
36	Redruth	10,451		115	221		82	82	164	15.68	57	221.71	0.382
37 38	Camborne Phillack	14,726	208 60	171 36	379	25·73 24·71	123 25	117 29	$\begin{array}{c} 240 \\ 54 \end{array}$	16·29 13·88	139	158·31 62·50	0·746 0·257
39	Hayle	3,881 1,084	12	8		18.45	10	9	19	17.52	1	150.00	0.922
40	Madron .	3,486	46	49	95	27.25	29	48	77	22.08	18	126:31	0.573
$\begin{vmatrix} 41 \\ 42 \end{vmatrix}$	Paul Ludgvan	6,332	85	81	166		41	40	81	12.79	85	126.50	1.105
43	St. Just	$2,274 \\ 5,646$	26 73	18 66	44 139		17 40	22 43	39 83	17·14 14·70	5 56	68·18 122·30	Nil 0·352
		136,329	1658	1430	3088	22.65	1022	1097	2119	15.24	969	126.29	0.630
		186,376				22.06						101.14	0.531
	Urban	136,329	1658	1439	3088	22.65	1022	1097	2119	15.24	969	126.29	0.630
	County	322,705	3789	3412	7201	22:31	1333	1419	4752	14.72	2449	111.92	0.573
							1				1		

NOTE—The following deaths in Workhouses, Infirmarys, Asylums, &c., are included in the above Table:—Launceston (Rural) 9; Calstock, 5: Camelford, 3; St. Columb, 9; Truro (Rural) 19; Redruth (Rural) 37; East Kerrier, 11; Stratton and Bude, 5; Launceston (Urban) 14; Liskeard (Urban) 8; Torpoint, 6; Bodmin (Urban) 77; Truro City, 11; Helston (Urban) 8; Penzance, 4; St. Austell (Urban) 21; Redruth (Urban) 5; Madron, 24. Total 276.

MORTALITY FROM ALL CAUSES,

at subjoined Ages-1904.

Table No. 2.

No. of District in Report.	SANITARY DISTRICT.	Population, 1901.	Deaths at all ages.	Rate per 1,000.	Under 1 year	Rate per 1,000.	1 and under 5.	Rate per 1,000.	5 and under 15.	Rate per 1,000.	15 and under 25.	Rate per 1,000.	25 and under 65.	Rate per 1,000.	65 and over.	Rate per 1000.
1 2 3 4	RURAL. Stratton Launceston Calstock Boscastle	2,176	67 98 92 19	13·37 12·57 15·66 22·05	14 11 24 4	2·79 1·41 4·08 1·83	1 6 3	0·19 0·77 0·51	1 3	0·19 0·51	3 3 2	0·59 0·38 0 34	25 23 8	2·79 3·20 3·91 3·67	53 37 7	6·78 6·79 6 29 3·21
5 6 7 8	Camelford Liskeard St. Germans Bodmin	15,674 14,386 10,393	61 209 183 152	12·15 13·32 12·70 14·62	$\begin{vmatrix} 11 \\ 20 \\ 35 \\ 23 \\ 27 \end{vmatrix}$	2·19 1·27 2·43 2·21	14 11 6	0·79 0·89 0·76 0·57	4	0·38 0·51 0·55 0·38	3	0.59 0.63 0.97 0.28	71 44 45	3·19 4·52 3·05 4·33	86 71 71	4.98 5.48 4.93 6.83
9 10 11 12 13	St. Columb St. Austell Truro Redruth East Kerrier	10,747 29 597 22,062 18,383 8,192	163 416 358 281 199	15·16 14·05 16·22 15·28 15·13	27 93 49 38 13	2·51 3·14 2·22 2·06 1·52	28 24 21 8	0.37 0.93 1.08 1.14 0.97	15 13 6 1	0·18 0·50 0·58 0·32 0·12	18 28 17 14 6	1.67 0.93 0.31 0.76 0.73	101 98 102	4·18 3·41 4·44 5·54 3·78	151 157 100	6·23 5·10 7·11 5·43 7·93
14 15 16	Helston West Penwith Scilly Islands	17,685 11,298 2,092	230 162 18	13·00 14·33 21·51	30 21 3	1.69 1.85 1.43	21 8 	1.18	6 7	0·33 0·61	9	0·22 0·80 0·47	76	3·45 3·34	93 78	5·25 6·90 3·34
	URBAN.	186,376	2,633	14.12	416	2.23	159	0.85	76	0.40	135	0.72	745	3.99	1102	5.91
17 18 19 20	Callington Stratton & Bude Launceston Liskeard	1,714 2,308 4,053 4,010	27 47 56 69	15.75 21.35 13.81 17.15	4 5 7 9	2·33 2·16 1·72 2·24	$\begin{array}{ c c } 1 \\ 1 \\ 4 \\ 2 \end{array}$	0.58 0.43 0.97 0.48	$\begin{array}{ c c } & 1 \\ & 3 \\ & 1 \\ & 2 \end{array}$	0.58 1.29 0.24 0.48		$\begin{vmatrix} \\ 3.02 \\ 0.24 \\ 0.74 \end{vmatrix}$	15	3·50 6·49 3·70 3·99	16 28	8·75 6·93 6·90 9·22
21 22 23 24	Torpoint Looe Saltash Bodmin	4,104 2,548 3,357 5,353	63 36 41 138	15·35 14·12 12·21 25·78	13 5 10 16	3·16 1·96 2·97 2·98	13 5 3 3	3·16 1·96 0·89 0·56	1 1 1 2	0.24 0.39 0.29 0.37	2 1 	0.48 0.39 0.74	15 9 13	3.65 3.52 3.87 2.42	15 14	4.62 5.88 4.16 18.68
25	(including Gaol and Asylum) Do. excluding do.		(61) 14	(14·91) 10·51			(3)	(0.73	(2)	0.48			(13)	(3.17	(23)	(5·62) 5·25
26 27 28	Wadebridge Truro City Penryn	2,186 11,557 3,190	$ \begin{array}{c c} 26 \\ 140 \\ 42 \end{array} $	11.89 12.11 13.16	6 22 5	2·74 1·90 1·56	1 19 2	0·45 1·65 0·62	3 1	0·25 0 31	11 2	0.95 0.62	8 36 15	3.65 3.11 4.70	11 49 17	5·03 4·23 5·32
29 30 31 32	Falmouth Helston St. Ives Penzance	11,789 3,088 6,699 13,136	179 45 65 235	15·18 14·57 9·70 17·88	35 8 15 33	2·96 2·59 2·23 2·51	11 3 4 19	0.92 0.97 0.59 1.44	5 1 1 7	0 42 0·32 0·14 0 53	11	0.92	15 14 77	4·83 4·85 2·08 5·86	18 31 90	5.08 5.82 4.62 6.85
33 34 35 36	Padstow Newquay St. Austell Redruth	1,566 3,115 3,340 10,451	33 37 69 164	21.07 11.87 20.65 15.68	3 8 13 49	1.91 2.56 3.89 4.67	1 4 7	0.63 1.19 0.66	4 1 1 7	2·55 0·32 0·29 0·66	4 2 3 18	2·55 0·64 0·89 1·72	$\begin{array}{ c c }\hline 11\\20\\ \end{array}$	4·47 3·53 5·98 4·01	15 28 41	8·94 4·81 8·38 3·92
37 38 39 40	Camborne Phillaek Hayle Madron	14,726 3,881 1,084 3,486	240 54 19 77	16·29 13·88 17·52 22·08	60 6 3 12	4·07 1·54 2·76 3·44	18 4 2 6	1·22 1·03 1·84 1·72	3 1 1	0·20 0·25 0·92 0·28	10 2 1	0.67 0.51 0.92	81 19 3 12	5.50 4.89 2.76 3.44	$\begin{bmatrix} 22 \\ 9 \end{bmatrix}$	4·61 5·66 8·30 13·19
41 42 43	Paul Ludgvan St. Just	6,332 2,274 5,646	81 39 83	12·79 17·14 14·70	21 3 17	3·32 1·31 3·01	7 3 6	1·10 1·31 1·05	1	0.15	3 1 ··	0.47 0.43	16 15 40	2.52 6.59 7.08	33 17	5·21 7·47 3·54
1		136,329	2,119	15.54		2.86		1.09	50	0.36	96	0.70		4.35		6.16
	Rural Urban	186,376 136,329	2,663 2,119	14·12 15·54		2·23 2·86		0·85 1·09	76 50	0·40 0·36		0·72 0·70		3·99 4·35		5·91 6·16
	County	322,705	4,752	14.72	806	2.49	308	0.95	126	0.39	231	0.71	1339	4.11	1942	6.01

Note.—Deaths in Workhouses, Infirmarys, Asylums, &c., are included in the above as per details at foot of preceding Table. This accounts for the high death-rate of some districts—notably Truro (Rural), Liskeard (Urban), Bodmin (Urban), and Madron.

MORTALITY FROM SUBJOINED CAUSES, 1904.

Table No. 3.

No. of District in Report.	SANITARY DISTRICT.	Small Pox.	Measles.		Diphtheria & Memb. Croup.	Croup. Typhus Fever.	Enteric Fever.	Other Continued Fever.	Epidemic Influenza.	Cholera.	Plague.	Diarrhoea.	Enteritis.	Erysipelas.	Other Septic Diseases.	Phthisis.	Other Tubercular Diseases.	Cancer, Malignant Disease.	Bronchitis.	Pneumonia.	Pleurisy.	Other Diseases of Respiratory Organs.	Alcoholism, Cirrhosis of Liver.	Premature Birth.	Diseases and Accidents of Parturition.	Heart Disease.	Accidents.	Suicides.	All other Diseases and Causes.	Total Deaths.	Total Death-rate per 1,000 of the Population.	Zymotic Deaths.	Zymotic Death-rate per 1,000 of the Population.
1 2 3 4 5 6 7 7 8 9 10 11 12 13 14 15 16	RURAL. Stratton		2 2	1 2 5 2 1 8 4	I 1 1 7 5 5 1	1		1	1 1 3 3 3 · · · · 6 2 · · · · · · · · · · · · · ·	:. :: :: :: ::	Z	Z	1	1		1 2 21 16 5 10 31 39 44 4 1 19 9	1 1 6 10 5 3 10 5 5 4	2 6 5 3 4 10 111 6 13 30 34 21 11 15 10	9 77 7 19 11 12 13 40 22 21 7 18 11 1	3 12 11 2 4 12 14 5 4 25 25 11 3 14 8	2		1 1	3 3 4 6 3 4 9 14 10 5 7 4 72	1 1 1 1 4 1 4 	7 15 9 5 4 46 27 17 26 69 29 224 223 27 11 4	2 4 10 2 2 15 1 11 2 4 1 	1 1 2 1 1	79 66 145 167 118 53 97 102 11	230 162 18	13·37 12·57 15·66 8·73 12·15 13·32 12·70 14·62 15·16 14·05 16·22 15·13 13·00 14·33 8·60 14·12	Nil 3 3 Nil 1 12 8 5 17 15 14 3 13 5 Nil 99	0·384 0·510 0·063 0·834 0·659 0·465 0·769 0·769 0·769 0·769 0·761 0·366 0·735 0·442
17 18 19 20 21 22 23 24 25 26 27	Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn		3 3	i 1					3	· · · ·		1 1 1 1 9	1 1			3 7 5 4 3 19 2 1 16 5	3 1 3 3 3	3 3 2 4 4 3 5 2 10 5	2 6 4 7 3 1 6	5 1 2 5 1 3 10 1	11:	1 3 1 	1	1 1 2 1 5 3 1 1 3 1 10	1 2 "1	3 4 6 6 7 4 6 26 3 2 11 7	2 2 1 1 1 1 2 8	1 1 1 1 1 1 1	16	27 47 56 69 63 36 41 138 14 26 140 42	15·75 21·35 13·81 16·22 15·35 14·12 12·21 25·78 10·51 11·89 12·11 13·16 15·18	Nil Nil Nil Nil 6 6 3 1 Nil Nil Nil Nil Nil Nil	1·461 2·353 0·893 0·186 1·384
27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just		1 3	1 2 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1				2			1 3	10 10 2	i	. 1	12 3 3 3 17 3 2 7 20 43 4 4 2 4 5 4 4 5 4	13 1 2 2	8 5 3 11 2 1 5 10 19 3 3 5 7	10 1 4 16 4 1 19 33 1 6 5 5	10 4 13 8 2 5 7 2 6	1			3 1 2 1 5 3 7 13 2 1 2 1 2 3	1 1 1 1 1 1 	14	4 6 3 1 2	i i 	19 54 97 12 18 29 66 78 25	179 45 65 235 33 37 69 164 240 54 19 77 81 39 83	14·57 9·70 17·88 21·07 11·87 20·65 15·68 16·29 13·88 17·52 22·08 12·79 17·14 14·70	1 Nil 18 Nil Nil 2 4 11 1 2 6	0·323
28 29 30 31 32 33 34 35 36 37 38 39 40 41 42	Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just RURAL		1 3	1 20 2 26	1 1 1 1 	4			7 			8 1 2 1 1 3 2 -32	3 1 2 10 2	1	1 6	12 3 3 3 17 3 2 7 20 43 4 4 2 4 5 4 4 5 4	1 13 3 1 2 2 2	11 2 1 5 10 19 3 3 5 7	1 4 16 4 1 19 33 1 6 5 4 160	10 4 13 8 2 2 5 7 2 6	i 	2 3 2 2	1 2	3 1 2 1 5 3 7 13 2 1 2 3 1 4	1 1 1 1 1	3 26 3 5 10 6 14 10 13 14	6 3 1 2 4 3 1 	1 	19 54 97 12 18 29 66 78 25 7 29 28 22 33	45 65 235 33 37 69 164 240 54 19 77 81 39 83 2119	14.57 9.70 17.88 21.07 11.87 20.65 15.68 16.29 13.88 17.52 22.08 12.79 17.14	1 Nil 18 Nil 2 4 11 1 2 6 Nil	0·323

MORTALITY RATES.

Per 1,000 of the Population in all Tabulated Diseases.—1904.

Table No. 4.

No. of District in Report.	SANITARY DISTRICT.	Small Pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria and Mcmb. Croup.	Croup.	Typhus Fever.	Enteric Fever.	Other Continued Fever.	Epidemic Influenza.	Cholera.	Plague.	Diarrhea.	Enteritis.	Pueperal Fever.	Erysipelas.
	RURAL.	\overline{z}	\overline{z}	\overline{z}	\overline{z}	\overline{z}	-	\overline{z}	\overline{z}	\overline{z}		\overline{z}	\overline{z}	\overline{z}			
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Stratton Launceston		0·20 0·06 0·09 0·16 0·17	0.03	0·14 0·48 0·18	0·12 0·17 0·06 0·09	0.03		0·12 0·06 0·09 0·09 0·03 		0·12 0·19 0·09 0·10 0·13 0·33 0·17			0·12 0·34 0·34 0·19 0·09 0 16	0·48 0·18 0·23 0·09 0·05 0·24	1	0.12
10	Scilly Isles .			··-	· ·			• • •				• •		• •			
17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	URBAN. Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just		0·73 1·17 0·60 0·16 0·29 0·28 0·47		0·39 0·08 0·30 0·19 0·54 0·25 	0.32			0·02 0·39 0·59 0·08 0·06 0·06	•••	0·18 0·16 0·53 0·57			0·24 0·39 0·29 0·18 0·77 0·08 0·60 0·29 0·19 0·06 0·28 0·47 	0·24 0·39 0·25 0·25 0·67 	0.15	0·24 0·18 0·08 0·07
	Dunal	0.00												0.23			
	Rural . Urban .	0.00	0·07 0·18	0.00	0.13	$0.14 \\ 0.02$	0.00	0.00	0.03 0.03	0.00	0·09 0·11	$0.00 \\ 0.00$	$\begin{array}{c} 0.00 \\ 0.00 \end{array}$	0·15 0·23	0.16	0.01	0.03
	County .	0.00	0.12	0.01	0.13	0.07	0.01	0.00	0.03	0.00	0.10	0.00	0.00	0.18	0.16	0.01	0.02

Note.—The total death-rate from all causes for the whole County was 14·72 per 1,000 of the population. The Zymotic death-rate was 0·573 per 1,000.

MORTALITY RATES.

Per 1,000 of the Population in all Tabulated Diseases.—1904.

Table No. 4.—Continued

Tabl	e No	. 4.—	- Cont	inued	•												
Other Septic Diseases.	Phthisis.	Other Tubercular Diseases.	Cancer.	Bronchitis.	Pneumonia.	Pleurisy.	Other Diseases of Respiratory Organs.	Alcoholism Cirrhosis of Liver }	Venereal Diseases.	Premature Birth.	Diseases and Accidents of Parturition.	Heart Disease.	Accidents.	Suicides.	All other Causes.	SANITARY DISTRICT.	No. of District in Report.
0·17 0·09 0·06 	1·02 0·45 0·38 1·33 1·11 0·48 0·93 1·04 1·76 2·38	0·12 0·19 0·38 0·69 0·48 0·27 0 33	0.85 1.38 0.79 0.63 0.76 0.57 1.21 1.01 1.54 1.14 1.34 0.84	0·89 1·19 0·38 1·21 0·76 1·15 1·21 1·34 0·99 1·14	1.53 1.87 0.91 0.79 0.76 0.97 0.48 0.37 0.84 1.13 0.65	0·25 0·06 0·19 0·18 0·03 0·05	0·17 0·09 0·27 0 03 0·09	0.09 0.03 0.18 0.05		0·59 0·38 0·68 1·19 0·19 0·28 0·83 0·46 0·45 0·27	0·17 0·09 0·13	1·53 2·29 0·79 2·93 1·87 1·63 2·42 2·33 1·31 1·30	0.04 0.59 0.24	0·17 0·12 0·06 0·28 0·18 	7·78 4·74 6·29 3·67 6·78 5·10 4·24 7·60 6·14 4·89 7·56 6·41 6·46 5·18 9·02 5·25	RURAL. Stratton	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16
0·09 0·39 0·31 0·06 0·25 0·11	1·16 1·29 1·72 1·22 0·97 0·89 3·54 1·50 0·45 1·38 1·56 1·01 0·97 0·44 2·09 1·91 0·64 2·09 1·91 0·64 1·14 0·78 1·14 0·78 1·15 1·15 1·15 1·15	0·26 1·73 0·73 0·24 1·17 0·89 0·34 0·67 0·32 0·38 0·63 1·23 0 20 0·92 0 57 0·31 0·35	1·74 1·29 0·49 0·99 0·97 1·17 0·91 0·66 1·56 0·67 1·61 0·44 0·83 1·27 0·32 1·49 0·95 1·28 0·77 2·76 1·43 1·10 	1·07 1·16 2·59 0·97 1·74 0·73 0·39 1·11 0·45 1·38 0·31 0·84 0·32 0·59 1·21 1·82 2·24 0·25 1·72 0·32 1·11 1·82 2·24 0·32 0·32 1·11 1·82 1·74 0·32 1·74 0·32 1·11 1·	0 82 2·91 1·1 0·24 0·48 1·21 0·39 0·89 1·86 0·75 1·19 1·23 0·54 1·43 0·51 1·84 1·43 1·10 0·87 1·05 0·75	0·04 0·43 0·24 0·07 0 64 0·09 0·04	0·04 0·58 1·29 0·24 0·30 0·13 0·77 1·84 0·31	0·03 0·24 0·39 0·08 0·07 0·028 0·028 0·039	0·00 0·15 0·06 0·25	0·58 0·43 0·49 0 24 1·21 · · · · · · · · · · · · · · · · · · ·	0·06 0·58 0·48 0·29 0·56 0.07 0·29 0·09 0·06 0·006	1 · 84 1 · 74 1 · 73 1 · 47 1 · 74 1 · 74 1 · 74 1 · 78 4 · 85 2 · 25 0 · 91 0 · 95 2 · 19 1 · 52 0 · 97 . 98 1 · 91 1 · 160 2 · 99 0 · 57 2 · 21 2 · 19 1 · 77 1 · 62 1 · 78 1 · 78	0·30 0·49 0·48 0·24 0·29 0·18 0·45 0·67 1·29 0·45 1·91 0·32 1·59 0·38 0·20 0·25 0·17 0·32	0·07 ··· 0·24 0·29 0·18 ··· 0·45 0·08 0·31 0·25 ··· 0·07 ··· 0·28 ···	6·08 6·41 9·53 6·66 9·94 4·87 5·88 5·98 11·95 5·27 5·27 5·12 8·06 7·36 6·12 8·06 7·36 6·577 8·68 6·31 5·29 6·44 6·45 8·32 4·42 9·67 5·84 6·76	URBAN. Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just	17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 4 35 36 37
0.11	1.24	0.41	0.90	1.17	0.75	0.04	0.13	0.08	0.03	0.56	0.06	1.62	0.32	0 08	6.08	Country	

Note.—The total death-rate from all causes for the whole County was 14.72 per 1,000 of the population. The Zymotic death-rate was 0.573 per 1,000.

MORTALITY FROM SUBJOINED CAUSES,

Distinguishing Deaths of Children under 5 years of age-1904.

Table No. 5.

RURAL Stratton	Erysipelas. Other Septic Diseases.	Puerperal Fever.	Enteritis.	Diarrhœa.	Plague.	Cholera.	Epidemic Influenza.	Other Continued Fever.	Enteric Fever.	Typhus Fever.	Croup.	Diphtheria and Memb. Croup.	Whooping Cough.	Whooning Cough.	Scarlet Fever.	Measles.	Small-pox.	SANITARY	ct in Report.
Stratton	5 and over sand over 5 and over	5 and over	under 5 5 and over	ınde	under 5 5 and over	under 5 5 and over	5 and over	under 5 5 and over	under 5 5 and over	under 5 5 and over	under 5 5 and over	under 5	5 and over	5 and over under 5	under 5	under 5 5 and over	under 5 5 and over		No. of Distri
URBAN		 I I 	3 I 3 I 3 I 3 3 2 2 6 I 2 I 2 I 1 2 I	I I I I 5 2 I 2 I 4 I 2			I I	i	 I I I I		I	I I 7 2 3 1	· · · · · · · · · · · · · · · · · · ·	I 2 2 3 4 4 4 5 5		2 I 2 3 2 2 3 2 3 2 3 2 3 2 3 2 3 2 3 3 2 3 3 2 3 3 2 3 3 3 3		Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Austell Truro Redruth East Kerrier Helston West Penwith	2 3 4 5 6 7 8 9 10 11 12 13 14
28 Penryn <td< td=""><td>1</td><td></td><td>I</td><td></td><td></td><td></td><td> 3</td><td></td><td> I 2</td><td></td><td></td><td></td><td>·</td><td> I</td><td>I .</td><td>3</td><td></td><td>Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel</td><td>18 19 20 21 22 23 24 25</td></td<>	1		I				3		 I 2				·	I	I .	3		Callington Stratton & Bude Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel	18 19 20 21 22 23 24 25
39 Hayle I I 2 I 2 41 Paul 3 I I 2 I 2 I	I	I	I 2 2 I				7		I			I I				6		Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Halmouth Paul Ludgvan	28 29 30 31 32 33 34 35 36 37 38 39 40 41 42
Rural Urban 25 1 20 2 1 5 15 29 3 16 7 2 Urban 25 1 20 2 1 5 15 29 3 16 7 2 1 20 2 1 5 15 29 3 16 7 2 20 2 1 5 15 29 3 16 7 2 20 2 1 5 15 29 3 16 7 2 20 2 1 15 29 3 16 7 2 20 2 1 15 29 3 16 7 2 20 2 1 15 29 3 16 7 2 20 2 1 15 29 3 16 7 2 20 2 1 15 20 2 3 16 7 2 20 2 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 20 3 16 7 2 2 20 3 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2 20 3 16 7 2 2	4 1 16	3 2	19 11 16 7	22 7 29 3			2 16	1	5 5		3 I	7 I5 2 I	5	2 26 20	 I	13 I 25		Urban	

MORTALITY FROM SUBJOINED CAUSES,

Distinguishing Deaths of Children under 5 years of age-1904.

Table No. 5—continued.

										_						_						_	_				
Phthisis.	Other Tubercular	Diseases.	Cancer		Bronchitis.		Pneumonia.		Pleurisy.	Other diseases of	Respiratory Organs.	Aicoholism,	Cirrhosis of Liver.	Venereal Disease.	Premature Birth.		Diseases and Accidents of	Farturition.	Heart Disease.		Accidents.	Smicidee	Salciuca.	All other	Causes.	SANITARY	No. of District in Report,
under 5 5 and over	under 5	5 and over	under 5	5 and over	under 5	5 and over	under 5	5 and over	under 5	5 and over under 5	5 and over	under 5	5 and over	5 and over	under 5	5 and over	under 5		5 and over	under 5	5 and over	under 5	5 and over	under 5	5 and over	DISTRICT.	No. of Distr
4 8 6 1 20 1 155 10 4 27 10 4 1 19 9 1 19 9 1 17 3 3 7 5 4 18 1 18 2 1 15 17 3 17 3 17 3 17 3 17 3 17 3 17 3 17 16 19 43 4 4 5 4 4 6	I		I.	26 53 410 1116 1330 34 2111 115 100 119 33 35 7 4	2 2 2 2	7555 2 16 8 8 6 10 26 19 14 4 12 10 11 1 1 6 1 3 14 4 1 12 12 12 10 4 1 1 4 4 105 142 17 144 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	2 5 9 2 4 6 1 2 15 16 6 2 3 2 3 1 2 7 7 2 3 1 1 6 2 3 2 3 2	79 2 1 3 1 1 4 1 3 10 8 2 2 2 5 2 6 6 64 70		6	5 I 3 3 I		I	i 3	1 2 3 1 4 77		55	777111111111111111111111111111111111111	7 7 15 26 26 27 26 27 26 27 26 27 26 27 28 26 32 31 26 26 32 28 26 32 26 32 31 26 32 31 31 10 33 31 40 33 31	-			-	8 5 6 3 6 19 14 14 41 32 19 6 6 8 1 8 6 6 1 6 17 15 1 2 8 8 30 22 2 5 5 2 7 7 8 8 3 17 224 208	31 32 31 5 28 61 47 65 66 66 104 135 99 926 10 18 12 13 14 12 13 14 12 13 14 16 16 16 16 16 16 16 16 16 16	Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just	2 3 4 4 5 6 9 7 7 8 10 11 12 13 14 15 16 16 17 16 18 19 19 10 10 11 11 15 16 16 17 16 17 17 18 18 19 19 10 10 10 10 10 10 10 10 10 10 10 10 10
4207	22	34	i	126	55	105	75 39	79 64			5 13		7 5	1 3	72 77		5 2	7	7 215	14 10	43 34			224	697	Urban .	
		65		200	113	247	114	T42		15	8 18	1	12	T. 2	149		7 1	3	19 546	04	77		20	432	1623	County .	

INFECTIOUS DISEASE.

Cases of Infectious Disease notified during 1904.

Table No. 6.

	LDIE NO. b.	_			1	į			4		1									_	_					ı		
				×				ia.	ons			as.	ļ			I	E	VE	RS					_				
No. of District in Report.	SANITARY DISTRICT.		11	omanpox.		Cholera.		Diphtheria.	Membranous	Croup.		Erysipelas.	ļ	Scarlet.	F	Typnus.	Fintamo	Entrol 1C.	Relapsing.		Continued		Phermeral	- ner bern	Diamio	riague.	E	TOTALS.
No. of R			under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	5 & over	under 5	o & over	밁	5 & over	nuner o	5 & over	under 5	5 & over	under 5	5 & over
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	RURAL. Stratton Launceston Calstock Boscastle Camelford Liskeard St. Germans Bodmin St. Columb St. Austell Truro Redruth East Kerrier Helston West Penwith Scilly Isles						1 1 1	6 1 3 1 3 5 33 23 5 29 21	 	2	1	5 2 1 5 9 4 1 9 23 15 1 10 2	3 12 5 111 3 5 4 1 1	17 1 1 36 60 8 1 18				2 3 19 2 1 4 2 5 3 6 3				2.		1 1 1 5			 5 14 5 12 4 5 4	1 18 20 4 2 47 90 17 11 33 76 52 12 52 16
	URBAN.	8					11	111	1	2	1	87	45	186				52				4 .		9			58	451
17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43	Callington Stratton & Buc Launceston Liskeard Torpoint Looe Saltash Bodmin Lostwithiel Wadebridge Truro City Penryn Falmouth Helston St. Ives Penzance Padstow Newquay St. Austell Redruth Camborne Phillack Hayle Madron Paul Ludgvan St. Just Ludgvan St. Just Launce Ludgvan St. Just Launce Launce Ludgvan St. Just Launce Launc	de		1			N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I 14 3 2	 L			6 4 2 3 6 1 3 17 12 77 177 3 1	2 3	10 				113 5 6 6 2 1 3 3 2				4.		1			3 4 3 3 1	1 34 6 16 19 21 3 5 2 10 4 13 3 1 11 5 2 13 44 16 3 2 2 4
	Rural		• •	1	-	-	6	34	1		2	-	25		 —		-	-	-	- -	- -	6.	- -	3.		_ -		242 451
	Urban			1	• •		6	111 34	1	2	2	67	25 —	186 89	• •		4	12	(.			4 . 6 .		9.3.		·-	38	242
1	County	••	• •	1	•	1	7 1	145	2	2	3	154	70	275			4	94	• •	•	1	0.	. 1	2.	1		96	693

Births, Deaths, Natural Increase, and Infantile and Zymotic Deaths

of the Population of Cornwall, during the Year 1904.

Table No. 7.

		Births.		DE	CATHS.		TURAL REASE.	Infan	TILE & Z	YMOTIC	DEATHS.
	Population, 1901.	Births.	Birth-rate per 1000.	Deaths.	Death-rate per 1000.	Natural Increase.	Natural Increase per 1000 of the population.	Deaths under 1 year.	Deaths under 1 year per 1000 Births.	Zymotic Deaths.	Zymotic Death-rate per 1000 of the population.
RURAL	186,376	4,113	22.06	2633	14.12	1480	7.94	416	101-14	99	0.531
URBAN	136,329	3,088	22.65	2119	15.54	969	7 10	390	126.29	86	0.630
COUNTY	322,705	7,201	22:31	4752	14.72	2449	7.56	806	111.92	185	0.573

Remarks.—The above Table shows that with the exception of the birth-rate, all the various rates were in favour of the Rural districts.

Mortality of the Population of Cornwall from all Causes

at the subjoined ages during 1904.

Table No. 8.

	1901.	ages.	-rate.	I	Deaths o	lassif	ied acco	ording s per	; to age 1,000 d	s and eaths	death- at all a	rates ges.	at each	of th	.ese
	Population, 19	Deaths at all a	General death-1	Deaths under 1.	Death-rate.	1 and under 5.	Death-rate.	5 and under 15.	Death-rate.	15 and under 25.	Death-rate.	25 and under 65.	Death-rate.	65 and over.	Death-rate.
RURAL	186,376	2633	14.12	416	159.75	159	60.38	76	28.86	135	51.27	745	282.94	1102	418.53
URBAN .	136,329	2119	15.54	390	184.04	149	70.31	50	23.59	. 96	45.30	594	280.32	840	396.41
COUNTY	322,705	4752	14.72	806	169.61	308	64.81	126	26.51	231	48.61	1339	281.77	1942	408.68

Remarks.—By the above Table it will be seen that out of each 1,000 deaths which occurred in the County during 1904, omitting fractions—

169 were infants under 1 year.

65 were children over 1 year and under 5.

26 were aged 5 and under 15.

48 ,, 15 ,, 25. 282 ,, 25 ,, 65.

409 ,, 65 and over.

The relative proportions of these deaths as occurring in Rural and Urban districts are also shown by the Table.

Mortality Rates per 1,000 of the Population of Cornwall

from the undermentioned Diseases and Causes, 1904.

Table No. 9.

Death-rate per 1,000 from all causes.	14.12	15.54	14.72
All other Causes.	80.9	92.9	6.36
Suicides.	20.0	80.0	0.02
Accidents.	0.30	0.32	0.31
Неагt Disease.	1.84	1.62	1.75
Diseases & Accidents of Parturition.	0.06	90-0	0.46 0.06
Premature Birth.	0.38	.56	0.46
Venereal Disease.	00	0.03	0.01
Alcoholism (Cirrhosis of Liver	0.03	0.03	0.03
Other diseases of the Respiratory Organs.	0.04	0.13	80.0
Bronchitis, Pneumonia and Pleurisy.	1.93	1.96 0	1.94
Оапсет.	26-0	06-0	0.95
Other Diseases.	0.26	t 0.41	0.10 1.32 0.32
Phthisis	1.16	1.54	1.32
Other Septic Diseases.	9.09	0.11	0.10
Erysipelas.	0.05	0.03	0.05 0
Puerperal Fever.	0.01	0.01	-Ģ
Enteritis.	0.16	0.16	0.16
.вэлтлаіП	0.15	0.23	0.10
Influenza.	60.0	0.11	0.10
Continued Fever.	0.03	00.0	00.0
Enteric Fever.	00.00	0.03	0.03
Croup.	0.03	00.6	0.01
Diphtheria and Membranes Oroup.	0.14	0.05	20.0
Whooping Cough.	0.13	0.14	0.13
Scarlet Fever.	0.00 0.07 0.01 0.13 0.14 0.02 0.00	0.00 0.18 0.00 0.14 0.02 0.00 0.03	0.12 0.01 0.13 0.07 0.01 0.03
Measles.	0.07	0.18	0.12
Small-pox.	0.00	0.00	00.0
		:	:
	:	:	:
	RAL	MAN	NUL
	RURA]	URBAN	000

REMARKS. - Diphtheria and Heart Disease were more fatal in the Rural districts than in the Urban; but the former had the advantage over the latter as regards Measles, Whooping Cough, Enteric Fever, Influenza, Diarrhea, Erysipelas, Phthisis, and Premature Births. The Table also shows that 22 per cent. of the total deaths were caused by Phthisis (Consumption) and its allied diseases, Bronchitis, Pneumonia, and Pleurisy—an increase of one on the percentage of last year.

Mortality Rates of England and Wales and the Principal Towns compared with those of Cornwall—1904.

Table No. 10.

	MORTALITY PER 1,000 POPULATION FROM									
	All causes.	The following seven Zymotic diseases.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fevers.	Diarrhea.	Deaths under 1 year per 1,000 births.
England and Wales . $\begin{cases} 1892\\ 1897\\ 1898\\ 1899\\ 1900\\ 1901\\ 1902\\ 1903\\ 1904 \end{cases}$	19·0 17·4 17·6 18·3 16·9 16 3 15·4 16·2	2·00 2·15 2·22 2·21 2·00 2·05 1·64 1·46 1·94	0·015 0·000 0·01 0·01 0·00 0·01 0·08 0·02 0·01	0·46 0·40 0·41 0·31 0·39 0·27 0 38 0·27 0·36	0·19 0·14 0·11 0·12 0·12 0·13 0·15 0·12 0·11	0·22 0·24 0·24 0·29 0·29 0·27 0·23 0·18 0·17	0·46 0·35 0·31 0·30 0·34 0·30 0·29 0·27 0·34	0·15 0·16 0·18 0·20 0·17 0·16 0·13 0·10 0·09	0·50 0·86 0·96 0·98 0·69 0·91 0·38 0·50 0·86	156 161 163 154 151 133 132 146
$\begin{array}{c} \textbf{CORNWALL} & \dots & \begin{pmatrix} 1892 \\ 1897 \\ 1898 \\ 1899 \\ 1900 \\ 1901 \\ 1902 \\ 1903 \\ 1904 \end{pmatrix} \end{array}$	17.5 16.3 17.5 16.0 16.4 15.9 16.7 14.2 14.7	1·00 1·27 1·33 1·05 0·71 0·83 1·15 0·35 0·55	0.003 0.003 0.000 0.000 0.000 0.000 0.000 0.000	0.06 0.54 0.09 0.00 0.04 0.25 0.29 0.01 0.12	0·09 0·04 0·02 0·03 0·03 0·03 0·03 0·01 0·01	0·08 0·06 0·08 0·04 0·08 0·11 0·17 0·09 0·07	0·20 0·18 0·49 0·33 0·16 0·13 0·47 0·04 0·13	0·13 0·14 0·12 0·17 0·10 0·08 0·07 0·08 0·04	0·43 0·31 0·53 0·48 0·30 0·23 0·12 0·12	134 156 135 126 121 135 99 112
33 Great Towns $ \begin{cases} 1892 \\ 1897 \\ 1898 \\ 1899 \\ 1900 \\ 1901 \end{cases} $	20·7 19·1 19·0 20·2 19·5 18·6	2 64 2·87 2·85 2·81 2·50 2·68	0·01 0·00 0·00 0·01 0·00 0·02	0.69 0.55 0.56 0.46 0.43	0·25 0·18 0·14 0·13 0·13 0·17	0 27 0·31 0·31 0·40 0·35 0·30	0·57 0·41 0·42 0·38 0·45 0·36	0·15 0·18 0·20 0·22 0·20 0·17	0·70 1·24 1·22 1·21 0·94 1·23	177 178 181 172 168
76 Great Towns \begin{cases} 1902 \\ 1903 \\ 1904 \end{cases}	17·4 16·3 17·2	2 12 1·89 2·49	0·12 0·03 0·01	0·49 0·36 0·47	0·19 0 14 0·12	0·26 0·20 0·19	0·37 0·33 0·40	0·15 0·12 0·10	0·54 0·71 1·20	145 144 160

DISTRICT MONTHLY RAINFALL-1904.

Table No. 11.

Stations.	Altitude.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Totals.
	ft.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
Bude	16	4.65	4.92	1.58	1.25	2.80	0.89	4.09	2.46	1.32	2.24	3.44	2.83	32.47
Poughill	200	4.74	5.10	1.85	1.70	3.14	1:31	5.76	3.11	2.72	2.72	3.78	3.63	39.56
Launceston	446	6.99	7.84	2.40	2.05	2.83	1.52	6.28	2.46	2.28	2.18	3.68	4.05	44.54
Gunnislake	850	7.83	7.80	2.39	2.52	3.10	1.75	7.64	2.72	2.30	3.64	3.64	5.27	50.60
Pentillie Castle	150	9.27	7.79	3.08	2.59	4.21	2.26	5.10	3.65	3.76	2.96	3.08	6.07	53.82
Liskeard	375	6.74	9.44	3.38	2.22	3.65	1.96	6.41	3.68	4.12	2.86	3.51	5.35	53.32
Springfield	480	6.74	9.43	2.81	2.36	4.37	1.77	5.79	3.26	3.81	2.94	4.38	5.13	52.79
Pencarrow		5.55	7.73	2.06	2.30	3.67	1.60	4.90	3.04	2.71	3.26	4.35	4.99	46.06
Newquay	100	2.93	4.40		0.81	2.28	1.14	3.50	2.15	2.16	2.18	2.25	3.42	*27.22
Plymouth (Dev.)	117	5.38	7.04	2.20	1.34	3.65	1.12	5.61	3.42	3.02	2.13	2.17	4.29	41.37
Cremyll	25	6.19	6.33	1.91	1.48	3.78	1.17	5.85	3.96	2.70	2.26	2.24	3.85	41.72
Menabilly	150	7.03	8.82	2.30	1.95	3.45	1.02	5.68	2.61	1.96	3.17	3.05	5.43	46.47
St. Austell	300	6.43	8.27	3.25	1.57	3.84	1.50	4.60	3.22	3.14	2.86	3.19	5.05	46.92
St. Agnes	318	5.33	6.28	2.12	1.60	3.01	1.23	4.25	2.65	2.26	2.20	2.69	3.76	37.38
Probus		5.93	7.30	2.26	1.32	2.98	1.93	5.25	2.40	2.39	2.38	2.54	4.46	41.48
Truro (R.I.C.)	40	6.01	8.11	2.25	1.41	2.63	1.47	5.24	2.28	2.15	2.49	2.39	4.29	40.72
Redruth	• •	7.16	7.45	3.05	1.66	2.98	1.54	4.35	2.88	2.56	2.54	3.49	4.78	44.44
Trevince	240	6.80	7.86	2.58	1.32	3.46	1.74	5.54	3.12	3.09	2.45	3.46	4.87	46.29
St. Ives	60	4.57	5 '55	1.65	1.30				3.20	1.75	2.99	2.28		†23.29
Phillack	70	5.68	5.35	1.75	1.02	3.27	1.50	2.58	2.55	2.10	2.04	2.97	4.01	34.82
Falmouth (Ob')	169	6.19	8.13	2.26	1.84	3.58	1.54	4.11	3.13	2.63	3.41	2.67	5.45	44.96
Marazion	30	5.78	7.31	2:31	1.41	3.17	1.21	2.92	2.75	2.46	2.66	2.91	4.35	39.24
Penzance	55	5.62	7.80	2.29	1.72	3.59	1.52	2.60	3.46	2.90	3.08	3.32	4.55	42.45
do. (Penlee)		6.07	7.83	2.39	1.89	3.74	1.69	2.57	3.62	3.19	3.13	3.36	4.62	44.10
Mullion		4.80	5.95	2.44	1.15	2.23	1.47	4.20	3.13	2.27	3.35	2.06	4.77	37.82
Seilly (St. Mary's)		4.44	6.61	1.76	1.58	2.45	1.13	2.01	2.33	2.20	3.25	2.38	3.16	33.30

^{*} Total incomplete and doubtful.

† For 8 months.

Temperature and Humidity—1904.

Table No. 12.

			Mean	Mean Daily	Absolute e Tempe	Mean Relative	
			Temperature.	Range of Temperature.	Highest.	Lowest.	Humidity of the air.
			0	0	0	0	Saturation=100
January	: •		43.48	8.83	52.4	29.7	89
February			42.30	9.21	51.6	29.5	83
March			42.94	11.57	56.5	28.8	82
April			49.00	11.26	62.7	35.9	79
May			52.30	12.64	68.2	37.0	80
June			57.02	13.72	70.0	43.5	78
July			62.42	13.43	80.1	47.7	79
August		}	60.35	12.73	74.3	46.3	78
September			56.96	12.37	66.8	43.5	79
October			53.44	9.62	62.2	40.4	85
November			46.16	10.48	57.9	25.7	85
December	• •	• •	45.72	8.50	54.7	33.1	87
Means			51.00	11.19	Highest 80.1	Lowest 25.7	82

Winter and Summer Temperature and Humidity—1904.

Table No. 13.

		Mean	Mean Daily	Absolute Tempe	Mean Relative	
		Temperature.	Range of Temperature.	Highest.	Lowest.	Humidity of the air.
WINTER		. 0	0	0	0	Saturation=100
January		43.48	8.83	$52 \cdot 4$	29.7	89
February	• • • • • • • • • • • • • • • • • • • •	42.30	9.21	51.6	29.5	83
March		42.94	11.57	56.5	28.8	82
April		49.00	11.26	62.7	35.9	79
November		46.16	10.48	57.9	25.7	85
December		45.72	8.50	54.7	33.1	87
Means		44.93	9.61	Highest 62.7	Lowest 25.7	84
SUMMER	₹.					
May 7		52.30	12.64	68.2	37.0	80
June		57.02	13.72	70.0	43.5	78
July		62.42	13.43	80.1	47.7	79
August		60.35	12.73	74.3	46.3	78
September		56.96	12.37	66.8	43.5	79
October		53.44	9.62	62.6	40.4	85
Means		57.08	12.75	Highest 80·1	Lowest 37.0	80

RAINFALL-1904.

Table No. 14.

			Mean Total Rainfall.	No. of days with rain (0.01 in. or more).	Greatest fall in 1 day.
January			Inches 5.95	24	Inches 0.69
February	• •	• • •	7·17	24	0.92
March	• •		2.34	13	0.67
April			1.65	14	0.42
May			3.27	18	0.78
June			1.47	9	0.44
July			4.74	18	1.26
August			2.97	15	0.76
September			2.61	12	0.62
October			2.75	16	0.65
November			3.04	16	0.65
December	• •	• •	4.49	21	0.75
Total	s		42.45	200	Greatest 1.26

SUMMARY.

Temperature, Humidity, and Rainfall—1904.

Table No. 15.

STATIONS.	Mean Tempera- ture — The Year.	Mean Daily Range of Tempera- ture.	Mean Relative Humidity.	Total Rainfall.	Total duration of hours of bright Sunshine	Authorities supplying the Monthly Returns.
Bude	° 51.01	0 10.59	°/ _° 87	Inches 32.47	*	Mr. J. Arthur.
Poughill	*	*	*	*39.56	*	Miss Field.
Launceston	†47.04	†13:36	†82	44.54	*	Capt. Ching, R.N.
Gunnislake	*	*	*	50.60	*	Mr. C. A. Wadge.
Pentillie Castle	*	*	*	53.82	*	Mr. W. T. Johnson.
Liskeard	50.02	10.91	*	53.32	*	Mr. S. W. Jenkin.
Springfield	*	*	*	52.79	*	Preb. J. T. Fvery.
Pencarrow	48.26	14.96	*	46.06	*	Mr. A. C. Bartlett.
Newquay	51.03	8.48	84	¶27·22	1570	Dr. Vigurs.
Plymouth (Dev.)	50.83	10.36	83	41.37	1732	Mr. H. V. Prigg.
Cremyll	53.02	13.66	*	41.72	*	Mr. W. Wonnacott.
Menabilly	50.48	14.20	*	46.47	*	Mr. W. H. Bennett.
St. Austell	*	*	. *	46.92	*	Mr. W. M. Coode.
St. Agnes	*	*	*	37:38	*	Dr. Whitworth.
Probus	*	*	*	41.48	*	Mr. H. Tresawna.
Truro (R.I.C.)	51.66	13.66	79	40.72	1583	Mr. G. Penrose.
Redruth	*	*	*	44.44	*	Mr. A. Lanyon.
Trevince	*	*	*	46 29	*	Mr. E. B. Beauchamp
Phillack	*	*	*	34.82	*	Rev. A. P. Hockin.
Falmouth (Ob.).	50.96	9.68	81	44.96	1637	Mr. E. Kitto.
Marazion	*	*	*	39 24	*	Mr. T. W. Field.
Penzance	52.32	9.42	80	42.45	1642	Mr. C. H. Benn.
do. (Penlee)	50.93	*	*	44.10	*	Mr. J. Branwell.
Lizard Lights	52.53	*	*	*	*	Mr. J. E. Davies.
Mullion	50.97	9.79	*	37.82	1694	Mr. R. Thomas.
Scilly (St. Mary's)	51.94	6.55	82	33.30	1686	Dr. Brushfield.

